



Telephone **Direct Dial**
101 023 8047 9580

Fax **Text Relay**
01962 874201 18001 101

Email Address
public.access@hampshire.pnn.police.uk

Millie Graham Wood
camilla@privacyinternational.org

11 October 2019

Our ref: CM/PA/002429/19
Your ref:

Dear Millie Graham Wood

FREEDOM OF INFORMATION REQUEST

I write in response to the above referenced Freedom of Information request submitted on the 16/09/2019, Hampshire Constabulary has now considered this request, which has been repeated below and have responded accordingly.

Request	Response
<p>In response to our FOIA dated 10/12/2018 your reference CM/PA/003062/18 you stated in response to question 2 that you use 'Cellebrite Cloud Analyser'.</p> <p>1. Please provide a copy of the relevant guidance / policy in relation to the use of Cellebrite Cloud Analyser.</p> <p>2. Do you record the number of times you have used Cellebrite Cloud Analyser and if these statistics are available, please confirm the number of times Cellebrite Cloud Analyser has been used in the last 12 months (since September 2018).</p> <p>3. Please confirm whether, as per your previous FOIA, you reply on PACE 1984, the CIPA 2001 and CPIA 1996 for seizure and examination using Cellebrite Cloud Analyser. (your response to question 6).</p>	<p>Hampshire Constabulary does not hold this information in a retrievable format. The cost of determining if the information is held, locating and retrieving the information exceeds the 'appropriate level' as stated in the Freedom of Information (Fees and Appropriate Limit) Regulations 2004. It is estimated that it would cost more than £450 to comply with your request.</p> <p>In order to ascertain the number of times Cloud Analyser has been used a large manual review would need to be undertaken. Although a record is made when Cloud Analyser is used, this record is kept within log sheets associated with each forensic analysis. This will then be held against the relevant occurrence. In order to ascertain the number, all forensic log sheets for the last 12 months would</p>



	<p>need to be accessed to see whether any involved the use of cloud analyser. To do this would exceed the time limit associated with this request.</p> <p>In accordance with the Freedom of Information Act 2000, if one element of a request exceeds the statutory cost limit, the whole request may be refused on grounds of cost. As such, this letter acts as a Refusal Notice in respect of your whole request.</p>
--	--

COMPLAINT RIGHTS

If you are dissatisfied with the handling procedures or the decision made by Hampshire Constabulary, you can lodge a complaint with the force to have the decision reviewed within 2 months of the date of this response. Complaints should be made in writing to the Public Access office at the address at the top of this letter.

If, after lodging a complaint with Hampshire Constabulary, you are still unhappy with the outcome, you may make application to the Information Commissioner at the Information Commissioner's Office, Wycliffe House, Water Lane, Wilmslow, Cheshire SK9 5AF, via telephone on 0303 123 1113 or 01625 545745 or at the website www.ico.org.uk

Yours sincerely

Mark Farrow
Public Access
Joint Information Management Unit



www.hampshire.police.uk

Deaf? Non-emergency text **07781 480999**

For crime and community information www.hampshirealert.co.uk

